



User Guide

1.07.2026 MHP

HealthLink SmartForms for MyHealthLink Portal

Welcome to the Initial Assessment and Referral Decision Support Tool (IAR-DST) for Mental Health.

HealthLink

Using the IAR-DST SmartForm within MyHealthLink Portal

The integrated IAR Decision Support Tool for Mental Health SmartForm supports **MyHealthLink Portal** users to provide consistent, evidence-based decision-making, streamlining assessments to support better patient outcomes.

HealthLink Technical Support

Email: helpdesk@healthlink.net

Phone: 1800 125 036

Step 1:

Accessing HealthLink SmartForms

Step 2:

Launching a new SmartForm

Step 3:

Completing the SmartForm

Step 4:

Previewing and parking a SmartForm and generating a report

Step 5:

Accessing parked and auto-saved SmartForms

Step 6:

Accessing generated reports


Step 1: Accessing HealthLink SmartForms

To access the SmartForm within
MyHealthLink Portal...

- A** Log in with your username and password*. Each user is given an individual log in so that their provider details are prepopulated.
- B** Once logged in you're taken to the home screen (Inbox).
- C** Click on the **Compose New Message** icon to launch the HealthLink homepage.


*Note: You will need to apply for a HealthLink account - you will be issued with login details, once set up. Go to the HealthLink website and click Sign Up to start this process.

A




The screenshot shows the HealthLink login page. It features a central white box with the title 'Login'. Inside the box are fields for 'Username' and 'Password', a 'Show' link next to the password field, a blue 'Log In' button, and a link for 'Forgotten password'. Below the box, there is a small link 'Need help? Contact Us' and a copyright notice '© 2026 HealthLink. All rights reserved.'. The background is a solid blue color.

B



The screenshot shows the HealthLink inbox filter screen. It has a blue header with the 'HealthLink' logo and 'Settings Help' links. On the left is a sidebar with navigation icons for 'Compose', 'Inbox (3)', 'Parked', and 'Submitted'. The main area is titled 'Inbox Filter' and contains several input fields: 'Received From' (dd/mm/yyyy), 'To' (dd/mm/yyyy), 'Patient Name' (Enter first and/or last name), 'Form Status' (All), 'Form Type', and 'Reference ID' (Enter reference ID). There are also fields for 'Description' and 'Patient ID'. At the bottom right are 'Search' and 'Reset' buttons. At the bottom left is a 'Items per page' dropdown set to '10'.

C



The screenshot shows the HealthLink 'Compose New Message' screen. It has a blue header with the 'HealthLink' logo. On the left is a sidebar with navigation icons for 'Compose', 'Inbox (3)', 'Parked', and 'Submitted'. The main area is titled 'Inbox Filter' and contains several input fields: 'Received From' (dd/mm/yyyy), 'Description' (Enter description), and 'Patient ID'. At the bottom right are 'Search' and 'Reset' buttons. At the bottom left is a 'Items per page' dropdown set to '10'.

Step 2: Launching a new SmartForm

Now you're on the HealthLink homepage...

A

Here you'll find a list of available services to refer patients.

B

Within the **Spotlight Services** section, click on the link named **IAR Decision Support Tool for Mental Health**.

The screenshot shows the HealthLink PRO homepage. At the top, there's a blue header with 'Create Update Support' and 'HealthLink | PRO'. Below this, a navigation bar includes 'Specialists+Referrals Refer to Private' and 'HL HealthLink Direct'. The main content area is divided into sections. On the left, under 'Referral Services', there's a list of services including 'Access Canberra Prototype', 'Application for ACT Approval to Prescribe Controlled Medicines', 'Banyule Community Health', 'Chris O'Brien Lifeshouse Services', 'Eastern Health', 'Head to Health', 'Medicare Mental Health (1800 595 212)', and 'Monash Health'. On the right, under 'Spotlight Services', there's a list of services including 'ACT Public Outpatient and Community', 'Austin Health eReferrals', 'ccCHIP - Cardiometabolic Health in Psychosis', 'DPV Community Health', 'Grampians Health', 'Hearing Australia Medical Certificate', 'Mercy Hospital for Women', and 'My Aged Care Referral'. A tooltip is visible over the 'IAR Decision Support Tool for Mental Health' link, explaining that it is an evidence-based clinical support tool for primary care in Australia that helps clinicians assess a person's mental health needs and identify the most appropriate level of care, supporting safe, consistent referral decisions.

A Create Update Support HealthLink | PRO

B SR Specialists+Referrals Refer to Private HL HealthLink Direct

IAR Decision Support Tool for Mental Health

ReturnToWorkSA Work Capacity Certificate

Spotlight Services

Referral Services

Access Canberra Prototype

Application for ACT Approval to Prescribe Controlled Medicines

Banyule Community Health

Chris O'Brien Lifeshouse Services

Eastern Health

Head to Health

Medicare Mental Health (1800 595 212)

Monash Health

ACT Public Outpatient and Community

Austin Health eReferrals

ccCHIP - Cardiometabolic Health in Psychosis

DPV Community Health

Grampians Health

Hearing Australia Medical Certificate

Mercy Hospital for Women

My Aged Care Referral

The Initial Assessment and Referral Decision Support Tool (IAR DST) is an evidence based clinical support tool for primary care in Australia. It helps clinicians assess a person's mental health needs and identify the most appropriate level of care, supporting safe, consistent referral decisions.

Step 3: Completing the SmartForm

Now you've loaded the SmartForm to complete.

A The SmartForm layout provides a consistent, easy-to-use tabular structure on the left, with the main action window on the right.

You'll notice SmartForms are **responsive**.

B Please note: you need to agree to the **Terms of use** to proceed.

A points to the 'Requested Information' section in the left sidebar.

B points to the checkbox for the 'Terms of use' agreement in the main area.

The interface includes the following elements:

- Header:** IAR-DST IAR Decision Support Tool for Mental Health
- Top Right:** HL logo, Generate Report, Preview, Park, Help
- Left Sidebar:**
 - Requested Information** (Warning icon): IAR Decision Support Tool for Mental Health
 - Attachments / Reports:** No reports selected, No files attached
 - Patient Information** (Warning icon): No patient name, No patient ID available, No date of birth
 - Referrer Information:** Demo Doctor, No Different Regular GP
- Main Area:** I agree to the [Terms of use](#). I acknowledge that the Initial Assessment and Referral (IAR) Decision Support Tool (DST) and related Guidance Documentation has been developed for use within Australia only. I acknowledge that my use of the IAR-DST and Guidance Documentation is not a substitute for independent professional knowledge and clinical judgement.*

Step 3: Completing the SmartForm

C **Mandatory Fields** are highlighted with a red asterisk.

D If you need more information about the Developmental age group or each domain to inform your rating, you can click on the **green question mark icons**.

IAR-DST

IAR Decision Support Tool for Mental Health

Requested Information ⚠️
IAR Decision Support Tool for Mental Health

Attachments / Reports
No reports selected
No files attached

Patient Information ⚠️
No patient name
No patient ID available
No date of birth

Referrer Information
Demo Doctor
No Different Regular GP

☒ I agree to the [Terms of use](#). I acknowledge that the Initial Assessment and Referral (IAR) Decision Support Tool (DST) and related Guidance Documentation has been developed for use within Australia only. I acknowledge that my use of the IAR-DST and Guidance Documentation is not a substitute for independent professional knowledge and clinical judgement.*

ADF veteran status

Please Select

Developmental age group*

Please Select

Practitioner notes

Primary domains

Domain 1 - Symptom severity and distress* ?

Domain 2 - Harm* ?

Domain 3 - Functioning* ?

Domain 4 - Impact of co-existing conditions* ?

Contextual domains

Domain 5 - Service use and response history* ?

Step 3: Completing the SmartForm

Calculation

- E** Use the dropdown menus to rate each of the Primary and Contextual domains.
- F** Once you've completed the Primary and Contextual domains, you can calculate the IAR-DST derived level of care for your patient.

IAR-DST
IAR Decision Support Tool for Mental Health

Requested Information ⚠
IAR Decision Support Tool for Mental Health

Attachments / Reports
No reports selected
No files attached

Patient Information ⚠
No patient name
No patient ID available
No date of birth

Referrer Information
Demo Doctor
No Different Regular GP

☒ I agree to the [Terms of use](#). I acknowledge that the Initial Assessment and Referral (IAR) Decision Support Tool (DST) and related Guidance Documentation has been developed for use within Australia only. I acknowledge that my use of the IAR-DST and Guidance Documentation is not a substitute for independent professional knowledge and clinical judgement.*

ADF veteran statusHas never served

Developmental age group* ⓘAdult (18-64)

i

Note: Developmental age group does not match chronological age.

An individual's developmental age may not be aligned with their chronological age. When choosing an age group this may be taken into account and a more appropriate age group chosen based on the practitioner's clinical judgement. You have chosen a different developmental age group compared to the chronological age of the patient. Document your reasons for doing so below.

Developmental age group does not match chronological age.*
Test patient

Primary domains

Domain 1 - Symptom severity and distress* ⓘ

Domain 2 - Harm* ⓘ

Domain 3 - Functioning* ⓘ

Domain 4 - Impact of co-existing conditions* ⓘ

Contextual domains

Domain 5 - Service use and response history* ⓘ

Domain 6 - Social and environmental stressors* ⓘ

Domain 7 - Family and other supports* ⓘ

Domain 8 - Engagement and motivation* ⓘ

Calculate

DST-derived level of care*

Please Select One

Please Select One

0. No problem in this domain

1. Mild

2. Moderate

3. Severe

4. Very severe

Please Select One

Please Select One

Please Select One

Please Select One

©HealthLink

7

Step 3: Completing the SmartForm

Calculation

G The IAR-DST derived level of care is there to support your clinical judgement during the consultation.

H You can read more about the recommended level of care by clicking on the link.

The screenshot shows the IAR-DST (IAR Decision Support Tool for Mental Health) interface. It is divided into several sections: 'Requested Information', 'Attachments / Reports', 'Patient Information', and 'Referrer Information' on the left; 'Primary domains' and 'Contextual domains' on the right; and a 'DST-derived level of care' section at the bottom. The 'Requested Information' section shows 'IAR Decision Support Tool for Mental Health'. The 'Attachments / Reports' section shows 'No reports selected' and 'No files attached'. The 'Patient Information' section shows 'No patient name', 'No patient ID available', and 'No date of birth'. The 'Referrer Information' section shows 'Demo Doctor' and 'No Different Regular GP'. The 'Primary domains' section includes four dropdown menus: 'Domain 1 - Symptom severity and distress*' (1. Mild), 'Domain 2 - Harm*' (0. No concerns about harm), 'Domain 3 - Functioning*' (2. Moderate impact), and 'Domain 4 - Impact of co-existing conditions*' (2. Moderate impact). The 'Contextual domains' section includes four dropdown menus: 'Domain 5 - Service use and response history*' (0. No previous service use), 'Domain 6 - Social and environmental stressors*' (2. Moderately stressful environment), 'Domain 7 - Family and other supports*' (2. Limited supports), and 'Domain 8 - Engagement and motivation*' (1. Positive). A 'Calculate' button is located below the 'Contextual domains' section. The 'DST-derived level of care*' section shows 'Moderate intensity services or above (Level 3 or above)'. Below this, there is a text prompt: 'Review assessment on contextual domains to determine most appropriate placement' and a link: 'Read more about this recommended level of care.' Annotations G and H point to the 'DST-derived level of care' section and the link, respectively.

IAR-DST IAR Decision Support Tool for Mental Health

Requested Information ⚠️
IAR Decision Support Tool for Mental Health

Attachments / Reports
No reports selected
No files attached

Patient Information ⚠️
No patient name
No patient ID available
No date of birth

Referrer Information
Demo Doctor
No Different Regular GP

Primary domains

Domain 1 - Symptom severity and distress* ? 1. Mild

Domain 2 - Harm* ? 0. No concerns about harm

Domain 3 - Functioning* ? 2. Moderate impact

Domain 4 - Impact of co-existing conditions* ? 2. Moderate impact

Contextual domains

Domain 5 - Service use and response history* ? 0. No previous service use

Domain 6 - Social and environmental stressors* ? 2. Moderately stressful environment

Domain 7 - Family and other supports* ? 2. Limited supports

Domain 8 - Engagement and motivation* ? 1. Positive

Calculate

DST-derived level of care*

Moderate intensity services or above (Level 3 or above)

Review assessment on contextual domains to determine most appropriate placement

[Read more about this recommended level of care.](#)

Step 3: Completing the SmartForm

Calculation

- I The Practitioner assessed level of care is your assessment of the appropriate level of care for your patient.
- J You can write relevant notes regarding the practitioner assessed level of care.

Referrer Information
Demo Doctor
No Different Regular GP

Domain 4 - Impact or co-existing conditions* 2. Moderate impact

Contextual domains

Domain 5 - Service use and response history* 0. No previous service use

Domain 6 - Social and environmental stressors* 1. Mildly stressful environment

Domain 7 - Family and other supports* 2. Limited supports

Domain 8 - Engagement and motivation* 2. Limited or mixed

[Calculate](#)

DST-derived level of care*
Moderate intensity services or above (Level 3 or above)

Review assessment on contextual domains to determine most appropriate placement

[Read more about this recommended level of care.](#)

Practitioner assessed level of care*
Please Select

Practitioner notes

Please Select
(Level 1) Self management
(Level 2) Low intensity services
(Level 3) Moderate intensity services
(Level 4) High intensity services
(Level 5) Acute and specialist community mental health services
Please Select

Step 3: Completing the SmartForm

Attachments

K

The **Attachments / Reports** tab will give you access to all the supporting documents that you may wish to attach to the SmartForm.

L

You can select a file from your local computer's file system by clicking the **Browse for Local File** button.

The screenshot displays the IAR-DST (IAR Decision Support Tool for Mental Health) interface. The top header includes the logo, title, and navigation links: 'Generate Report', 'Preview', 'Print', and 'Help'. The main content area is divided into two sections. On the left, a sidebar contains three tabs: 'Requested Information', 'Attachments / Reports', and 'Referrer Information'. The 'Attachments / Reports' tab is selected, showing 'No reports selected' and 'No files attached'. On the right, the 'Diagnostic Reports / Patient Documents' section features a 'Browse for Local File' button, which is highlighted by an orange circle labeled 'L' with a downward arrow. Below this button, a text line specifies supported file types: 'Attach file from Computer supports files that end in types: doc, docx, htm, html, jpeg, jpg, pdf, rtf, tif, tiff, txt'. An orange circle labeled 'K' is positioned to the left of the sidebar tabs.

Step 3: Completing the SmartForm

Patient Information

M

Please note: when using the MyHealthLink Portal, patient details will need to be entered manually in the **Patient Information** tab of the SmartForm.

N

The SmartForm will display a warning for information that is incomplete, for example if a contact phone number needs adding.

M

IAR-DST

IAR Decision Support Tool for Mental Health

Requested Information ⚠
IAR Decision Support Tool for Mental Health

Attachments / Reports
No reports selected
No files attached

Patient Information ⚠
No patient name
No patient ID available
No date of birth

Referrer Information
Demo Doctor
No Different Regular GP

Please add only the following State or Territory codes, ACT, NSW, NT, QLD, SA, TAS, VIC, WA only in the State field

▼ No address specified

Address line 1*

Address line 2*

Suburb

State*

Postcode

Postal Address
Same as residential
Yes ▼

Please add only the following State or Territory codes, ACT, NSW, NT, QLD, SA, TAS, VIC, WA only in the State field

▶ No address specified

Contact Details (Select preferred phone contact)
Either a patient work phone, a home phone number, or a mobile number is required

▼ No contact details specified

☐ Work

☐ Home

☐ Mobile

☐ Other

N

Step 3: Completing the SmartForm

Referrer Information

0

Check that your information as a referrer is correct. The responsive SmartForm will extract relevant information from your MyHealthLink Portal account.

Note: Referrer Information is pre-populated from your MyHealthLink Portal account details, as the log in is set up for each user. Or, admin account details for multiple users who are using the same admin log in to access a MyHealthLink Portal account.

0 →

IAR-DST

IAR Decision Support Tool for Mental Health

Requested Information ⚠️

IAR Decision Support Tool for Mental Health

Attachments / Reports

No reports selected
No files attached

Patient Information ⚠️

Test Patient
No patient ID available
30/06/2026

Referrer Information

Demo Doctor
No Different Regular GP

Recipient

Referral number*

iard-453

Referral creation date*

30/06/2026 09:07 NZST

Facility*

IAR Decision Support Tool for Mental Health ▾

Attention

Medical Practitioner

Test Doctor

Name

Full name

i

Practice name

Furious Five Psych

Practice Address

Unit 1/5-7 Martinez Avenue, West End, Queensland, 4810

Practice telephone*

+61 1300 145465

Practice fax

Email

EDI*

auportal

☐

Patient has a different regular GP

Previewing and parking a SmartForm and generating a report

A You can verify that the SmartForm has been completed correctly by clicking **Preview** allowing you to review the details before generating a report.

Note: Whether you click **Preview** or **Generate Report**, if a piece of required information is incomplete or incorrect, the SmartForm will notify you to complete or correct it.

©HealthLink

Step 4:

Previewing and parking a SmartForm and generating a report

Parking

B You can park the SmartForm by clicking **Park** allowing you to return to complete the SmartForm later.

IAR-DST
IAR Decision Support Tool for Mental Health

Generate Report

Preview

Park

Help

Requested Information 
IAR Decision Support Tool for Mental Health

Attachments / Reports
No reports selected
No files attached

Patient Information 
Test Patient
No patient ID available
13/06/1974

Referrer Information
Demo Doctor
No Different Regular GP



Form parked successfully. Please note that attachments selected from your PC need to be re-attached when resuming the parked form.

☒

I agree to the [Terms of use](#). I acknowledge that the Initial Assessment and Referral (IAR) Decision Support Tool (DST) and related Guidance Documentation has been developed for use within Australia only. I acknowledge that my use of the IAR-DST and Guidance Documentation is not a substitute for independent professional knowledge and clinical judgement.*

ADF veteran status

Has never served

Developmental age group* 

Adult (18-64)

Primary domains

Domain 1 - Symptom severity and distress* 

1. Mild

Domain 2 - Harm* 

1. Previous but no current concerns about harm

Domain 3 - Functioning* 

1. Mild impact

Domain 4 - Impact of co-existing conditions* 

1. Minor impact

Contextual domains

Domain 5 - Service use and response history* 

0. No previous service use

Domain 6 - Social and environmental stressors* 

1. Mildly stressful environment

Domain 7 - Family and other supports* 

1. Well supported

Domain 8 - Engagement and motivation* 

1. Positive

Calculate

DST-derived level of care*

Self management (Level 1)

Review assessment on contextual domains to determine most appropriate placement

[Read more about this recommended level of care.](#)

Step 4:

Previewing and parking a SmartForm and generating a report

Generating a Report

C When you have completed your assessment, you can **Generate a Report**.

D The generated report is saved directly to your practice's MyHealthLink Portal account.


The screenshot displays the IAR-DST (IAR Decision Support Tool for Mental Health) interface. The top navigation bar includes the 'Generate Report' button, which is highlighted with an orange box and labeled 'C'. Other buttons in the bar are 'Preview', 'Park', and 'Help'. The main form is divided into several sections: 'Requested Information', 'Attachments / Reports', 'Patient Information', and 'Referrer Information'. The 'Primary domains' section includes 'Domain 1 - Symptom severity and distress', 'Domain 2 - Harm', 'Domain 3 - Functioning', and 'Domain 4 - Impact of co-existing conditions'. The 'Contextual domains' section includes 'Domain 5 - Service use and response history', 'Domain 6 - Social and environmental stressors', 'Domain 7 - Family and other supports', and 'Domain 8 - Engagement and motivation'. A 'Calculate' button is located below the contextual domains. The 'DST-derived level of care' is set to 'Low intensity services (Level 2)'. A note states: 'Note: DST-derived and practitioner recommended level of care differ. You have chosen a different level of care compared to the DST-derived level of care. Doc'. A 'Read more about this recommended level of care.' link is provided. The 'Practitioner assessed level of care' is set to 'Please Select'. A note states: 'Note: DST-derived and practitioner recommended level of care differ. You have chosen a different level of care compared to the DST-derived level of care. Doc'. The 'Generate Report' button is labeled 'C'. The generated report is shown on the right, featuring the IAR-DST logo and patient information: 'Patient: Test Patient, 0yr, F, DOB 30/06/2026, PH: Mob 000000000', 'Residential address: Test, Test, Test 2000', 'Postal address: same as residential address', 'Referred by: , Furious Five Psych, PH +61 1300 145465', and 'Referral date: 30/06/2026 09:47'. The report includes a 'Clinical Referral Information' section with 'ADF veteran status: Has never served' and 'Developmental age group: Adult (18-64)'. A note states: 'Note: Developmental age group does not match chronological age. An individual's developmental age may not be aligned with their chronological age. When choosing an age group this may be taken into account and a more appropriate age group chosen based on the practitioner's clinical judgement. You have chosen a different developmental age group compared to the chronological age of the patient. Document your reasons for doing so below.' The report also includes a 'Developmental age group does not match chronological age:' section with 'Test patient'. The 'Primary domains' section of the report lists: 'Domain 1 - Symptom severity and distress: 0. No problem in this domain', 'Domain 2 - Harm: 1. Previous but no current concerns about harm', 'Domain 3 - Functioning: 1. Mild impact', and 'Domain 4 - Impact of co-existing conditions: 1. Minor impact'. The 'Contextual domains' section lists: 'Domain 5 - Service use and response history: 0. No previous service use', 'Domain 6 - Social and environmental stressors: 1. Mildly stressful environment', 'Domain 7 - Family and other supports: 2. Limited supports', and 'Domain 8 - Engagement and motivation: 1. Positive'. The 'DST-derived level of care:' is 'Self management (Level 1)'. The report is labeled 'D'.

Step 5:

Accessing parked and auto-saved SmartForms

A To access a parked or auto-saved SmartForm, click on **Parked (Drafts)** on the left-hand menu.

Note: when returning to a parked or auto-saved form, due to security policy, any previously added attachments will need to be re-added.



The screenshot shows the HealthLink interface. The left-hand menu has four items: 'Compose', 'Inbox (3)', 'Parked', and 'Submitted'. The 'Parked' item is highlighted with a black background and white text, and an orange circle with the letter 'A' points to it. The main content area is titled 'Parked Filter' and contains a form with four input fields: 'Created From' (with placeholder 'dd/mm/yyyy'), 'To' (with placeholder 'dd/mm/yyyy'), 'Reference ID' (with placeholder 'Enter reference ID'), and 'Description' (with placeholder 'Enter description').

Step 6:

Accessing generated reports

- A

To access a generated report click on the **Submitted (Submitted Items)** icon on the left-hand menu.
- B

Here you'll see a list of your submitted items, including generated reports. Double click on the generated report you wish to open.

HealthLink

Compose

Inbox (3)

Parked

Submitted

Submitted Items

Submitted Items Filter

To

dd/mm/yyyy

Reference ID

Enter reference ID

Description

Enter description

REFERENCE ID

TO

PATIENT'S NAME

PATIENT'S ID

DESCRIPTION

TYPE

iard-502

iardsthlk

Test Patient

IAR Decision Support Tool for Mental Health

iardsthlk

iard-453

iardsthlk

Test Patient

IAR Decision Support Tool for Mental Health

iardsthlk

iard-347

iardsthlk

Test Patient

IAR Decision Support Tool for Mental Health

iardsthlk

Step 6: Accessing generated reports

C The generated report will open in the preview pane.

D From here you can print or save the generated report.

The screenshot displays the HealthLink web application. On the left, a sidebar contains navigation links: Compose, Inbox (3), Parked, and Submitted. The 'Submitted' link is highlighted. The main content area shows a 'Submitted Referral: iard-502 from Demo Doctorto iardsthlk'. Below this, there are fields for Patient ID and Patient Name. A 'View Message' button is visible. The main report area is titled 'IAR Decision Support Tool for Mental Health' and includes patient details: Patient: Test Patient, 54yrs, F, DOB 02/07/1972, PH: Mob 000000000, Residential address: Test, Test, Test 2000, Postal address: same as residential address, Referred by: Furious Five Psych, PH +61 1300 145465, and Referral date: 02/07/2026 13:51 NZST. A 'Print' button is located in the top right corner of the report area. A 'Clinical Referral Information' section is expanded, showing ADF veteran status, Developmental age group, Primary domains (Symptom severity and distress, Harm, Functioning, Impact of co-existing conditions), and Contextual domains (Service use and response history, Social and environmental stressors). A 'Print' dialog box is open, showing options for printer, layout (Portrait or Landscape), and pages (All, Odd pages only, Even pages only, or a custom range). The 'Save as PDF' option is selected. The 'Print' dialog also includes a 'More settings' link and a 'Print using system dialogue...' link. The 'Save' button is highlighted in the dialog.

HealthLink

Submitted Referral: iard-502 from Demo Doctorto iardsthlk

Patient ID Patient Name

<< Back To List View Message

IAR Decision Support Tool for Mental Health

IAR-DST

Patient: Test Patient, 54yrs, F, DOB 02/07/1972, PH: Mob 000000000
Residential address: Test, Test, Test 2000
Postal address: same as residential address
Referred by: Furious Five Psych, PH +61 1300 145465
Referral date: 02/07/2026 13:51 NZST

Clinical Referral Information

ADF veteran status:
Developmental age group:
Primary domains
Domain 1 - Symptom severity and distress:
Domain 2 - Harm:
Domain 3 - Functioning:
Domain 4 - Impact of co-existing conditions:
Contextual domains
Domain 5 - Service use and response history:
Domain 6 - Social and environmental stressors:

Print
Total: 2 pages

Printer
Save as PDF

Layout
☒ Portrait
☐ Landscape

Pages
☒ All
☐ Odd pages only
☐ Even pages only
☐ e.g. 1-5, 8, 11-13

More settings
Print using system dialogue... ("CP")

Cancel Save

IAR Decision Support Tool for Mental Health

IAR-DST

Patient: Test Patient, 54yrs, F, DOB 02/07/1972, PH: Mob 000000000
Residential address: Test, Test, Test 2000
Postal address: same as residential address
Referred by: Furious Five Psych, PH +61 1300 145465
Referral date: 02/07/2026 13:51 NZST

Clinical Referral Information

ADF veteran status: Has never served
Developmental age group: Adult (18-64)

Note: Developmental age group does not match chronological age.
An individual's developmental age may not be aligned with their chronological age. When choosing an age group this may be taken into account and a more appropriate age group chosen based on the practitioner's clinical judgement.
You have chosen a different developmental age group compared to the chronological age of the patient. Document your reasons for doing so below.

Developmental age group does not match chronological age:
Test patient

Primary domains
Domain 1 - Symptom severity and distress: 0. No problem in this domain
Domain 2 - Harm: 1. Previous but no current concerns about harm
Domain 3 - Functioning: 1. Mild impact
Domain 4 - Impact of co-existing conditions: 1. Minor impact

Contextual domains
Domain 5 - Service use and response history: 0. No previous service use
Domain 6 - Social and environmental stressors: 1. Mildly stressful environment
Domain 7 - Family and other supports: 2. Limited supports
Domain 8 - Engagement and motivation: 1. Positive

DST-derived level of care:
Self management (Level 1)

Helpdesk

Phone: 1800 125 036

Email: helpdesk@healthlink.net

Monday to Friday (Except Public Holidays)

8:00am – 6:00pm

www.healthlink.com.au

HealthLink^{*}

HealthLink is part of Lanas, a global network of healthcare technology organisations operating across the United Kingdom, Ireland, New Zealand, Australia and India. Together, we work to deliver safer, more efficient and better-connected healthcare for everyone.